



ANTENNA SYSTEMS

Covert . Public Safety . Interoperable . Tactical . Base Station . Rail / Transit

STI-CO INDUSTRIES, INC. COMMERCIAL PRICE LIST

January 1, 2013

Certified ISO 9001:2008

MODEL NUMBER	DESCRIPTION	LIST PRICE
COVERT ANTENNAS		
Covert Fender Mount Antennas*		
SB-VHF-DS	Superband®, fender mount, 150 - 174 MHz	390.00
SB-UHF	Superband®, fender mount, 406 - 470 MHz or 450 - 512 MHz **	390.00
SB-700-DS	Superband®, fender mount, 760 - 820 MHz	386.00
NB-HF-DS	Narrow band, fender mount, 27 - 50 MHz **	324.00
NB-VHF	Narrow band, fender mount, 132 - 174 MHz **	258.00
NB-UHF	Narrow band, fender mount, 406 - 512 MHz **	258.00
NB-CEL	Narrow band, fender mount, 806 - 896 MHz **	301.00
DB-VHF/UHF	Dual band, fender mount, 150 - 174 & 406 - 512 MHz **	441.00
DB-VHF/700	Dual Band, fender mount, 150 - 174 ** & 764 - 870 MHz	441.00
DB-VHF/CEL	Dual band, fender mount, 150 - 174** & 806 - 866 MHz	441.00
* To order: Specify Year, Make, Model and Trim line of vehicle. **Operating frequency required. Note: Vehicle designation will be added to model number on invoice.		
Covert Roof Mounted Antennas		
SB-VHF-EA	Superband®, euro-style roof mount, 150 - 174 MHz	397.00
DB-VHF/UHF-EA	Dual band, euro-style roof mount, 150 - 174 ** & 406 - 512 MHz **	450.00
DB-VHF/7-800-EA	Dual Band, euro-style roof mount, 150 - 174 & 760 - 870 MHz	450.00
CMAG-SB-VHF	Superband®, magnet roof mount, 150 - 174 MHz	278.00
CPMT-SB-VHF	Superband® permanent roof mount, 150 - 174 MHz w/amplified AM/FM antenna	386.00
CPMT-SB-VHF-ANT	Superband® permanent roof mount, 150 - 174 MHz, antenna only	371.00
MMAS-BSSF	Plug 'N Play mount, use w/portable antenna whip (optional whips below)	127.00
BSSF-VHF-M	Plug 'N Play optional portable whip, VHF	47.00
BSSF-UHF-M	Plug 'N Play optional portable whip, UHF	47.00
BSSF-CEL-M	Plug 'N Play optional portable whip, 800 MHz	47.00
Covert Cellular Style Antennas		
Glass Mount		
GLMT-SB-VHF	Superband®, 136 - 174 MHz (sedans only)	233.00
GLMT-SB-VHF-SUV	Superband®, 150 - 174 MHz (sport utility vehicles)	233.00
GLMT-SB-UHF	Superband®, 406 - 512 MHz (sedans only)	233.00
GLMT-SB-7-800	Superband®, 760 - 870 MHz, 3 dB Gain	62.00
GLMT-DB-VHF/UHF	Dual band, 150 - 174 MHz & 406 - 512 MHz (sedans only)	321.00
GLMT-DB-VHF/7-800	Dual band, 136 - 174 MHz & 760 - 870 MHz (sedans only)	288.00
GLMT-TB-V/U/C	Tri-band, 150 - 174, 380 - 512, & 760 - 896 MHz (sedans only)	423.00
Magnet Mount		
MGNT-SB-VHF	Superband®, 150 - 174 MHz	233.00
MGNT-SB-UHF	Superband®, 400 - 525 MHz	233.00
MGNT-DB-VHF/UHF	Dual band, 150 - 174 MHz & 405 - 420 MHz	321.00
MGNT-SB-VID	Superband®, 2.4 GHz	233.00
Roof Mount		
ROOF-SB-VHF	Superband®, 150 - 174 MHz	233.00
ROOF-SB-UHF	Superband®, 400 - 525 MHz	233.00
ROOF-DB-VHF/UHF	Dual band, 150 - 174 & 406 - 512 MHz **	321.00

MODEL NUMBERS	DESCRIPTION	LIST PRICE
ROOF-DB-VHF/CEL	Dual band, 150 - 174 MHz & 806 - 896 MHz	288.00
ROOF-DB-UHF/CEL	Dual band, 406 - 512 MHz & 806 - 896 MHz**	312.00
**Operating frequency required		
Trunk Lip Mount		
TKLP-SB-VHF	Superband®, 150 -174 MHz	233.00
TKLP-SB-UHF	Superband®, 400 - 525 MHz	233.00
TKLP-DB-VHF/UHF	Dual band, 150 - 174 & 406 - 512 MHz **	321.00
TKLP-DB-VHF/CEL	Dual band, 150 - 174 MHz & 806 - 896 MHz	288.00
TKLP-DB-UHF/CEL	Dual band, 406 - 512 MHz & 806 - 896 MHz**	312.00
**Operating frequency required		

HIDDEN ANTENNAS

Concealed Internal Antennas

CCAS-SB-7-800	“Stinger”, Superband®, 760 - 896 MHz	77.00
CCAS-DB-7-800/PCS	“Stinger”, dual band, 760 - 896 & 1850 - 1950 MHz	89.00
BDAS-SB-VHF	Under bumper, 136 - 174 MHz**	350.00
RDCA-SB-VHF	Rear deck, Superband®, 150 - 174 MHz, sedans only	258.00
RDCA-SB-VHFL	Rear Deck, Superband®, 136 - 160 MHz, sedans only	258.00
RDCA-SB-UHF	Rear Deck, Superband®, 406 - 512 MHz, sedans only	258.00
RDCA-DB-VHF/UHF	Concealed, dual band, 150 - 174 MHz & 406 - 430 MHz	297.00

Embedded Antenna System

EMBD-NB-VHF-D	Universal disc style with tuner, 150 - 174 MHz**	260.00
EMBD-NB-VHF-F	Universal flat style with tuner, 150 - 174 MHz**	260.00

Surveillance Van Antenna System

SVAN-1	System with one antenna: 150 - 174, 406 - 512, 806 - 896 MHz, or 2.4 GHz	645.00
SVAN-2	System with any two antennas: 150 - 174, 406 - 512, 806 - 896 MHz or 2.4 GHz	900.00
SVAN-3	System with any three antennas: 150 - 174*, 406 - 512, 806 - 896 MHz or 2.4 GHz	1160.00

*Maximum of two VHF antennas with system

**Operating frequency required

PUBLIC SAFETY ANTENNAS

Flexi-whip Antennas

MGNT-FT-NITI	Magnet mount, field or factory tuned from 136 MHz - 1 GHz	63.00
ROOF-FT-NITI	Roof mount, field or factory tuned from 136 MHz - 1 GHz	63.00
TKLP-FT-NITI	Trunk lip mount, field or factory tuned from 136 MHz - 1 GHz	63.00
WCPL-FT-NITI	Window clip, field or factory tuned from 136 MHz - 1 GHz	185.00
ROOF-FT-NITI-M	Roof mount. field tunable nitinol mast only. 138 MHz - 1 GHz	35.00

Multi-Band Roof Mount Antennas

ROOF-DB-NITI/GPS	Roof mount, field or factory tuned from 136 - 1000 MHz, plus GPS	133.00
ROOF-NMO/GPS	Roof NMO mount base only w/GPS	106.00
RFMT-DB-VHF/7-800	Dual port roof mount, 150 - 174 & 760 - 870 MHz	118.00
RFMT-TB-V/U/C	Tri-band roof mount, single port for 150 - 174, 406 - 512 & 760 - 870 MHz	185.00
RFMT-TB-V/U/C-A	Tri-band roof mount, single port antenna only - w/o base, feedline or connector	80.00

MODEL NUMBERS	DESCRIPTION	LIST PRICE
---------------	-------------	------------

INTEROPERABLE ANTENNA SYSTEMS

Interoperable Tactical Antenna

IOAK-TB-V/U/C	Tri-band base antenna with coupler 150 - 174, 380 - 512, 760 - 896 MHz	1078.00
IOAK-QB-A/V/U/C	Quad-band base antenna w/coupler for above plus 106 - 130 MHz	1206.00
IOAK-DC-ANT	Interoperable antenna only, 106 - 1550 MHz	655.00
IOAK-TRIPOD	Optional black tripod stand	182.00
IOAK-CH-STM	Optional black Storm® case	422.00
COUP-V/U/C	Optional multi band coupler only, 150 - 174, 380 - 512, 760 - 896 MHz	460.00
COUP-A/V/U/C	Optional multi band coupler only, 106 - 130, 150 - 174, 380 - 512, 760 - 896 MHz	575.00

Interoperable Mobile Antenna

MGNT-TB-V/U/C	Tri-band mobile, magnet mount, 150 - 174, 380 - 512, 760 - 896 MHz	587.00
ROOF-TB-V/U/C	Tri-band mobile, roof mount, 150 - 174, 380 - 512, 760 - 896 MHz	587.00
GLMT-TB-V/U/C	Tri-band mobile, glass mt (sedans) 150 - 174, 380 - 512, 760 - 896 MHz	423.00

TACTICAL ANTENNAS

Compact Portable Antennas

CPAK-1-VHF	Kit with VHF narrow band antenna, 136 - 174 **	273.00
CPAK-NB-VHF-A	VHF narrow band antenna only, 136 - 174 **	190.00
CPAK-1-UHF	Kit with UHF Superband® antenna, 340 - 512 MHz	273.00
CPAK-SB-UHF-A	UHF Superband® antenna only, 340 - 512 MHz	190.00
CPAK-1-CEL	Kit with 800 MHz Superband® antenna, 806 - 896 MHz	273.00
CPAK-SB-CEL-A	800 MHz Superband® antenna only, 806 - 896 MHz	190.00

****Operating frequency required**

Field Portable Antenna Kits

FPAK-1-VHF	Field tunable VHF antenna w/tripod & case, 140 - 174 MHz	1127.00
FPAK-1-UHF	UHF antenna w/tripod & case, 400 - 440 or 440 - 512 MHz	1127.00
FPAK-1-CEL	800 MHz antenna w/tripod & case, 806 - 896 MHz	1127.00

Portable Tactical Repeater Antenna

BPFN-NB-VHFM	Backpack/briefcase repeater antenna, 162 - 171 MHz	280.00
--------------	--	--------

RAIL / TRANSIT ANTENNAS

Heavy Duty Low Profile

HDLP-NB-HF	Aluminum, narrow band, 30 - 50 MHz **	578.00
HDLP-NB-VHF	Cast aluminum, narrow band, 150 - 174 MHz **	203.00
HDLP-NB-220	Cast aluminum, narrow band, 214 - 228 MHz **	224.00
HDLP-NB-UHF	Cast aluminum, narrow band, 406 - 512 MHz **	73.00

****Operating frequency required**

Radome Low Profile

SRLP-NB-UHF	Radome, narrow band UHF antenna, 406 - 512 MHz **	95.00
SRLP-SB-CEL	Radome, Superband® antenna, 806 - 896 MHz	95.00
SRLP-DB-CEL/GPS	Radome, dual band, 806 - 896 MHz & GPS	121.00
SRLP-DB-GPS/2.4	Radome, dual band, GPS and 2.4 GHz	121.00

MODEL NUMBERS	DESCRIPTION	LIST PRICE
PTC Dual Track Antenna System		
HDLP-MB-PLLG25	Custom, rugged multi-band antenna bar system for rail industry***	
RFMT-DB-7-800/PCS	Dual band roof mount for PTC Dual Track System, 693 - 960 & 1710 - 2500 MHz	62.00
RFMT-DB-24/58	Dual band roof mount for PTC Dual Track System, 2.4 & 5.8 GHz	74.00
RFMT-NB-GPS	GPS roof mount for PTC Dual Track System, 40 dB gain, 1565.42 - 1585.42 MHz	124.00
Preselector Filters		
FILT-NB-160-MIL	High power filter, reduces system noise, 160 - 163 MHz	309.00
FILT-NB-220-MIL	High power filter for PTC, reduces system noise, 220 - 222 MHz	309.00
High Performance Filters		
FILT-NB-VHF-COM-MF	High performance filter, 160 - 163 MHz	300.00
FILT-NB-220-COM-MF	High performance filter, 216 - 222 MHz	300.00
FILT-NB-UHF-COM-MF	High performance filter, 450 - 460 MHz	300.00

BASE STATION ANTENNAS

OMNI-NB-160	Omni-directional, base station antenna, upright mount 144-174 MHz **	716.00
OMNI-NB-220	Omni-directional, base station, PTC antenna, upright mount, 215 - 225 MHz	613.00
OMNI-NB-220i	Omni-directional, base station, PTC antenna, inverted mount, 215 - 225 MHz	613.00
OMNI-DB-7-800/PCS	Omni-directional, dual band LTE base station antenna, 760 - 870 & 1850 - 1950 MHz	216.00

*Call for volume price quote on all rail/transit antennas and filters

**Operating frequency required

*** Custom track available with a wide variety of antennas. Contact customer service with specs for pricing

REPAIR / REPLACEMENT / OPTIONAL PARTS

Covert Glass Mount - Replacement Masts

GLMT-SB-VHF-M	Glass mount mast, closed coil, VHF	34.00
GLMT-SB-UHF-M	Glass mount mast, closed coil, UHF	34.00
GLMT-DB-VHF/7-800-M	Glass mount mast, closed coil, VHF/7-800	34.00
GLMT-DB-VHF/UHF-M	Glass mount mast, closed coil, VHF/UHF	34.00

Interoperable Antennas - Replacement Parts

IOAK-RL	IOAK radial long, fixed (ea)	26.00
IOAK-RS	IOAK radial short, fixed (ea)	26.00

Other Repair or Replacement Parts

KIT-002	Spring pin and insulator kit for Covert Cellular Mounts	21.00
KIT-004	Grounding kit for Covert Fender Mount Antennas	21.00
KIT-010	SB base kit for ROOF and TKLP	21.00
KIT-011	Repair/replacement adhesive kit for Glass Mount Antennas	21.00

Custom Cable Kits

Custom cable kits are available with a variety of cables and connectors. Our prices are very competitive and will vary depending on cable type and length, and connector selected. Our customer service will be happy to give you a quote.

Note: Only most frequently requested repair/replacement/optional parts are listed. Please contact customer service for all other requirements.