

	<b>TOTUS SECURITY PLATFORMS™ PRICE LIST ( JULY 15, 2013)</b>		
Model #	Description	Genuine TOTUS Part	MSRP
<b>Outdoor LED Smart Lighting Platforms</b>			
TLP-050G00000	50 Watt, Grey Housing TOTUS Smart Lighting Platform. White 5000K CCT, 83.3 CRI, IP65 sealed dual adjustable LED Luminary (IP66 rated wings), Wireless Lighting Controller. 100-277VAC Input, standard tenon mount, adjustable wing angles (0 narrowest, 4.5, 9, 13.5, 18, 22.5 widest degree), photometric Type II-III. Comes with Photocell.	✓	\$ 1,249.00
TLP-050B00000	50 Watt, Black Housing Option, TOTUS Smart Lighting Platform.	✓	\$ 1,249.00
TLP-050Z00000	50 Watt, Bronze Housing Option, TOTUS Smart Lighting Platform.	✓	\$ 1,249.00
TLP-100G00000	100 Watt, Grey Housing TOTUS Smart Lighting Platform. White 5000K CCT, 83.3 CRI, IP65 sealed dual adjustable LED Luminary (IP66 rated wings), Wireless Lighting Controller. 100-277VAC Input, standard tenon mount, adjustable wing angles (0 narrowest, 4.5, 9, 13.5, 18, 22.5 widest degree), photometric Type II-III. Comes with Photocell.	✓	\$ 1,499.00
TLP-100B00000	100 Watt, Black Housing Option, TOTUS Smart Lighting Platform.	✓	\$ 1,499.00
TLP-100Z00000	100 Watt, Bronze Housing Option, TOTUS Smart Lighting Platform.	✓	\$ 1,499.00
TLP-150G00000	150 Watt, Grey Housing TOTUS Smart Lighting Platform. White 5000K CCT, 83.3 CRI, IP65 sealed dual adjustable LED Luminary (IP66 rated wings), Wireless Lighting Controller. 100-277VAC Input, standard tenon mount, adjustable wing angles (0 narrowest, 4.5, 9, 13.5, 18, 22.5 widest degree), photometric Type II-III. Comes with Photocell.	✓	\$ 1,799.00
TLP-150B00000	150 Watt, Black Housing Option, TOTUS Smart Lighting Platform.	✓	\$ 1,799.00
TLP-150Z00000	150 Watt, Bronze Housing Option, TOTUS Smart Lighting Platform.	✓	\$ 1,799.00
<b>Outdoor LED Lighting Based Network Platforms</b>			
TNP-050G00000	50 Watt, Grey Housing TOTUS Network Platform. White 5000K CCT, 83.3 CRI, IP65 sealed dual adjustable LED luminary (IP66 rated wings), embedded PoE network switch, 2 self sealing weatherproof PoE ports. 100-277VAC Input, standard tenon mount, adjustable wing angles (0 narrowest, 4.5, 9, 13.5, 18, 22.5 widest degree), photometric Type II-III. Comes with Photocell.	✓	\$ 5,799.00
TNP-050B00000	50 Watt, Black Housing Option, TOTUS Network Platform.	✓	\$ 5,799.00
TNP-050Z00000	50 Watt, Bronze Housing Option, TOTUS Network Platform.	✓	\$ 5,799.00
TNP-100G00000	100 Watt, Grey Housing TOTUS Network Platform. White 5000K CCT, 83.3 CRI, IP65 sealed dual adjustable LED luminary (IP66 rated wings), embedded PoE network switch, 2 self sealing weatherproof PoE ports. 100-277VAC Input, standard tenon mount, adjustable wing angles (0 narrowest, 4.5, 9, 13.5, 18, 22.5 widest degree), photometric Type II-III. Comes with Photocell.	✓	\$ 6,299.00
TNP-100B00000	100 Watt, Black Housing Option, TOTUS Network Platform.	✓	\$ 6,299.00
TNP-100Z00000	100 Watt, Bronze Housing Option, TOTUS Network Platform.	✓	\$ 6,299.00
TNP-150G00000	150 Watt, Grey Housing TOTUS Network Platform. White 5000K CCT, 83.3 CRI, IP65 sealed dual adjustable LED luminary (IP66 rated wings), embedded PoE network switch, 2 self sealing weatherproof PoE ports. 100-277VAC Input, standard tenon mount, adjustable wing angles (0 narrowest, 4.5, 9, 13.5, 18, 22.5 widest degree), photometric Type II-III. Comes with Photocell.	✓	\$ 6,799.00
TNP-150B00000	150 Watt, Black Housing Option, TOTUS Network Platform.	✓	\$ 6,799.00
TNP-150Z00000	150 Watt, Bronze Housing Option, TOTUS Network Platform.	✓	\$ 6,799.00

Model #	Description	Genuine TOTUS Part	MSRP
<b>Outdoor LED Lighting Based Surveillance Platforms</b>			
<b>TSP-050GM0000</b>	<b>50 Watt, Grey Housing TOTUS Surveillance Platform. White 5000K CCT, 83.3 CRI, IP65 sealed dual adjustable LED luminary (IP66 rated wings), embedded PoE network switch, 2 self sealing weatherproof PoE ports. 1/2" progressive scan CMOS, 3 megapixel Mobotix 360 degree hemispheric IP camera, on-board event or motion triggered recording, 32GB SD Memory Card for internal storage of the event video recording. 100-277VAC Input, standard tenon mount, adjustable wing angles (0 narrowest, 4.5, 9, 13.5, 18, 22.5 widest degree), photometric Type II-III. Comes with Photocell and ability to enable midnight dimming.</b>	<b>✓</b>	<b>\$ 6,999.00</b>
TSP-050BM0000	50 Watt, Black Housing Option, TOTUS Surveillance Platform.	✓	\$ 6,999.00
TSP-050ZM0000	50 Watt, Bronze Housing Option, TOTUS Surveillance Platform.	✓	\$ 6,999.00
<b>TSP-100GM0000</b>	<b>100 Watt, Grey Housing TOTUS Surveillance Platform. White 5000K CCT, 83.3 CRI, IP65 sealed dual adjustable LED luminary (IP66 rated wings), embedded PoE network switch, 2 self sealing weatherproof PoE ports. 1/2" progressive scan CMOS, 3 megapixel Mobotix 360 degree hemispheric IP camera, on-board event or motion triggered recording, 32GB SD Memory Card for internal storage of the event video recording. 100-277VAC Input, standard tenon mount, adjustable wing angles (0 narrowest, 4.5, 9, 13.5, 18, 22.5 widest degree), photometric Type II-III. Comes with Photocell and ability to enable midnight dimming.</b>	<b>✓</b>	<b>\$ 7,499.00</b>
TSP-100BM0000	100 Watt, Black Housing Option, TOTUS Surveillance Platform.	✓	\$ 7,499.00
TSP-100ZM0000	100 Watt, Bronze Housing Option, TOTUS Surveillance Platform.	✓	\$ 7,499.00
<b>TSP-150GM0000</b>	<b>150 Watt, Grey Housing TOTUS Surveillance Platform. White 5000K CCT, 83.3 CRI, IP65 sealed dual adjustable LED luminary (IP66 rated wings), embedded PoE network switch, 2 self sealing weatherproof PoE ports. 1/2" progressive scan CMOS, 3 megapixel Mobotix 360 degree hemispheric IP camera, on-board event or motion triggered recording, 32GB SD Memory Card for internal storage of the event video recording. 100-277VAC Input, standard tenon mount, adjustable wing angles (0 narrowest, 4.5, 9, 13.5, 18, 22.5 widest degree), photometric Type II-III. Comes with Photocell and ability to enable midnight dimming.</b>	<b>✓</b>	<b>\$ 7,999.00</b>
TSP-150BM0000	150 Watt, Black Housing Option, TOTUS Surveillance Platform.	✓	\$ 7,999.00
TSP-150ZM0000	150 Watt, Bronze Housing Option, TOTUS Surveillance Platform.	✓	\$ 7,999.00
<b>TOTUS Surveillance Platform™ Demo Kit</b>			
<b>TSP-050ZMDEMO</b>	<b>50 Watt, Bronze Housing TOTUS Surveillance Platform Demo Kit. White 5000K CCT, 83.3 CRI, IP65 sealed dual adjustable LED luminary (IP66 rated wings), embedded PoE network switch, 2 self sealing weatherproof PoE ports. 1/2" progressive scan CMOS, 3 megapixel Mobotix 360 degree hemispheric IP camera, on-board event or motion triggered recording, 32GB SD Memory Card for internal storage of the event video recording. 100-120VAC input, table mount, 9 degree wing angle. Comes with the ability to enable midnight dimming. The unit custom packaged in a durable demo case loaded with TOTUS literature, 12 foot AC power cord, 2 Ethernet cables (one for external device install), table cover and a USB memory drive containing Demo Video, MxControlCenter Program for Windows Video Management Client. <b>This unit can only be purchased for demo purposes.</b></b>	<b>✓</b>	<b>\$ 7,499.00</b>

Model #	Description	Genuine TOTUS Part	MSRP
<b>Outdoor LED Lighting Based Security Platforms Additional Options</b>			
<b>Input / Output Options</b>			
VM01-G	Grey TOTUS Housing and 1/2" progressive scan CMOS, 3 megapixel Mobotix 360 degree hemispheric IP camera, on-board event or motion triggered recording, 32GB SD Memory Card for internal storage and housing kit. <b>(TNP Only)</b>	✓	\$ 1,499.00
VM01-B	Black TOTUS Housing and 1/2" progressive scan CMOS, 3 megapixel Mobotix 360 degree hemispheric IP camera, on-board event or motion triggered recording, 32GB SD Memory Card for internal storage and housing kit. <b>(TNP Only)</b>	✓	\$ 1,499.00
VM01-Z	Bronze TOTUS Housing and 1/2" progressive scan CMOS, 3 megapixel Mobotix 360 degree hemispheric IP camera, on-board event or motion triggered recording, 32GB SD Memory Card for internal storage and housing kit. <b>(TNP Only)</b>	✓	\$ 1,499.00
A01	Two-way audio unit with wall/pole mount <b>(TSP Only)</b>	✓	\$ 1,199.00
I01	2 signal input contacts (AC/DC) (galvanically separated), and 2 signal outputs (AC/DC), up to 100 mA with wall/pole mount, two wire external microphone input and two wire line audio speaker output. <b>(TSP Only)</b>	✓	\$ 1,199.00
I03	One button emergency/call box with external pole mount <b>(TSP Only)</b>	✓	\$ 1,699.00
C04	Wireless Lighting Controller. Must be enabled at the time of purchase <b>(TNP and TSP Only)</b>	✓	\$ 499.00
<b>Communication Options (These can only be purchased with TNP and/or TSP models)</b>			
N02	BelAir20EO-11A-Dual Radio, one 802.11b/g/n and one 802.11a/n radio, 2 internal x 2.4 GHz omni + 2 internal x 5 GHz omni, 1 Year Warranty		\$ 1,134.00
N03	BelAir20EO-11B-Dual Radio one 802.11b/g/n and one 802.11a/n radio, 2 internal x 2.4 GHz omni + 2 internal x 5 GHz 10.5 dBi directional antennas, 1 Year Warranty		\$ 1,134.00
N04	BelAir20EO-11C-Dual Radio, one 802.11b/g/n and one 802.11a/n radio, 2 internal x 2.4 GHz directional 8dBi + 2 "n" connectors for 5 GHz, US Only, Channels 1-11, FCC power, 1 Year Warranty		\$ 1,134.00
N05	BelAir20EO-11D-Dual Radio, 802.11n 2x2:2 (802.11 b/g/n + 802.11 a/n), 2 N connectors for External 2.4 GHz, Integrated Directional Antennas for 5 GHz; US Only, Channels 1-11 on 2.4 GHz, FCC Power; 1 Year Warranty		\$ 1,134.00
N06	BelAir20EO-11E-Dual Radio 802.11n 2x2:2 (802.11 b/g/n + 802.11 a/n), Integrated 40_x40_Directional Antennas for 2.4 GHz and 5 GHz; US Only, Channels 1-11 on 2.4 GHz, FCC Power; 1 Year Warranty		\$ 2,100.00
N09	Belview NMS - Release 6		\$ 2,181.00
N10	Single AP license for Belview NMS		\$ 61.00
N11	Embedded FIPS Subscriber Node; 3eTI radio, FIPS 140-2 or AES 128-, 192-, 256-bit encryption with single radio configured as 802.11a/b/g for AP or Client/Backhaul. <b>(TSP Only)</b>	✓	\$ 2,999.00
N12	FIPS Access point; 3eTI outdoor radio, FIPS 140-2 or AES 128-, 192-, 256-bit encryption with single radio configured as 802.11a/b/g for AP or Backhaul		\$ 2,999.00
NS01	BelAir20EO Software Update 1 Year		\$ 84.00
NS02	BelView NMS Software Update per AP; 1 Year		\$ 16.00
NA01	2.4/5 GHz 8/9dbi Dual Band 60 Degree <b>Antenna for N11</b>		\$ 299.00
NA02	5 Ghz 6 dbi Omni <b>Antenna For N04</b> ; Includes 2		\$ 199.00
NA03	5 GHz 11.5dBi 45 Degree <b>Antenna for N04</b>		\$ 399.00
<b>Mounting Options</b>			
M01	Single Platform Pole Mount	✓	\$ 229.00
M02	Dual Platform Pole Mount; 180° apart	✓	\$ 249.00
M03	Single Platform Wall Mount	✓	\$ 124.00
M04	Quad Platform Pole Mount; 90° apart	✓	\$ 269.00
M05	Dual Platform Pole Mount; 90° apart	✓	\$ 249.00
M06	Triple Platform Pole Mount; 90° apart	✓	\$ 259.00
M07	Triple Platform Pole Mount; 120° apart	✓	\$ 259.00
M10	DIN Rail Mast Mounting kit	✓	\$ 199.00
M11	Flat Din Rail Mount for <b>N02, N03, N04, N05, N06 Radio Options</b>	✓	\$ 49.00
M21	4" Square Pole Top Adapter	✓	\$ 69.00
M22	5" Square Pole Top Adapter	✓	\$ 69.00
M23	6" Square Pole Top Adapter	✓	\$ 69.00
M24	3" Square Pole Top Adapter	✓	\$ 69.00
M31	4" Round Pole Top Adapter	✓	\$ 119.00
M32	5" Round Pole Top Adapter	✓	\$ 119.00
M33	6" Round Pole Top Adapter	✓	\$ 119.00
M34	3" Round Pole Top Adapter	✓	\$ 119.00

\*\*\*All platforms powered by 100-277VAC, in order to request step down transformers see your Systems Integrator or Electrical Contractor for a quote to convert power to lower voltage.

TOTUS Solutions™ may revise, add, modify, or delete products and/or change prices upon sixty (60) days prior notice to Customer (change may be made via Online Terms but Customer will receive written/email notice that a change is being made).

To see more information on the listed products, go to [WWW.TOTUS-SOLUTIONS.COM](http://WWW.TOTUS-SOLUTIONS.COM)

Revision : 03 Issue Date: 05/10/2013 Effective Date: 07/15/13